

# Pop-up lectern

The pop-up lectern is a quick and easy to install counter with multiple uses and applications. The lightweight table and print fit together in one handy carry bag. The table features an eco-friendly print that is easily changeable allowing for easy re-branding.



Collapses flat



Carry case



## TABLE FEATURES



9kg



Fast setup



1 yr warranty



No tools required

## ASSEMBLED DIMENSIONS

- 700 mm wide
- 900 mm high
- 400mm deep

# Artwork Specifications

## Pop-up lectern

**Visual area:** Front and rear: 696mm (w) x 1020mm (h), Sides: 328mm (w) x 1020mm (h)

**Bleed required:** 20mm to all edges, please keep all important information 30mm in from the edges

**Notes:** Artwork to be supplied at 100%

If you have any questions, please contact us on 07 3391 8777 or email [sales@baileyprintgroup.com.au](mailto:sales@baileyprintgroup.com.au)

SEW LINE



SIDE 2

REAR  
696MM (W) X  
1020MM (H)

SIDE 1  
328MM (W) X  
1020MM (H)

FRONT  
696MM (W) X  
1020MM (H)

SIDE 2

# ARTWORK SPECIFICATIONS

If you have any questions, please contact us on 07 3391 8777 or email [designer@baileyprintgroup.com.au](mailto:designer@baileyprintgroup.com.au).

## LAYOUT

To ensure your job is completed on time, please follow these instructions carefully. The 5-7 day production time begins once we have received sign off from your supplied proof. We cannot be held accountable for jobs being completed late if incorrect file format is supplied or there are delays in returning proof approval.

- Vector files are preferred.
- Supply all relevant and linked files. Link, don't embed.
- Logos must be in a vector format.
- Photographic images need to be supplied at a minimum of 300dpi at 100%.
- At least 50mm of bleed needs to be provided on all sides of the artwork for standard banners.

For all other jobs, please contact us for bleed requirements.

- Where possible please provide a hard copy colour proof. Due to the inconsistent output of inkjet and laser printers we do not consider these proofs to be an accurate colour guide.

## SOFTWARE

Artwork can be created in the following programs

- Adobe Illustrator CS6 or earlier
- Adobe Photoshop CS6 or earlier
- Adobe InDesign CS6 or earlier

## COLOUR

If you require us to match any colours please supply relevant Pantone PMS codes or CMYK breakdown values. Supplying CMYK or RGB colours can result in slight variation of colour and your job can't be rejected based on this.

We accept files on CD, DVD, USB or via FTP.

Small files (less than 20mb) can be emailed to [designer@baileyprintgroup.com.au](mailto:designer@baileyprintgroup.com.au).

Large files can be sent through our Hightail page [spaces.hightail.com/uplink/baileyprintgroup](https://spaces.hightail.com/uplink/baileyprintgroup) or via another file transfer system.

## FILE FORMAT

We can accept the following file formats

- .eps (from Illustrator, or Corel) (include all linked images and fonts outlined)
- .ai (include all linked images and fonts outlined)
- .indd (include all linked images and fonts outlined)
- .PDF (high res only)



**P** 3391 8777 **F** 3391 5533

**A** 24 Manilla St, East Brisbane, QLD, 4169

**[www.baileyprintgroup.com.au](http://www.baileyprintgroup.com.au)**